

PRELIMINARY SPECIFICATION, SUBJECT TO CHANGE WITHOUT NOTICE

WT802

Deep Profile














NOT TO SCALE

Dimensions NOT TO .94" 1.10" SCALE

.87"

Compatibility

Direct View	Indirect View
9524-FR	9524-FR
6524-LE	6524-LE
8000-LE	8000-LE
4000-LE	4000-LE
3000-LE	3000-LE
8924-CT3022-LE	8924-CT3022-LE
8924-RGBW-LE	8924-RGBW-LE
7000-RGB	7000-RGB
5000-RGB	5000-RGB

PRELIMINARY SPECIFICATION, SUBJECT TO CHANGE WITHOUT NOTICE

Component of a complete system including: Aion LED A-Track Light Engine, Aion LED A-Track housing with diffuser lens, & Aion LED driver (power supply), Dimmer not included. Approved dimmers, controls, power supplies, cable, & other components only. Contact Aion LED for questions regarding compatibility. Electrician installed. Strictly adhere to NEC & local building code. Limited 5-year warranty against manufacturing defects only, does not cover labor; voided by: inadequate ventilation, field modifications, installation by unqualified personnel, unapproved controls, drivers, cabling, other devices, not following installation guidelines & protocol, general negligence. Installer assumes all liability with regard to property & safety. This product is UL listed. See separate "Aion LED Warranty Terms" & additional instructional materials for more information. Authorized installers only. Systems tested prior to shipping.





PRELIMINARY SPECIFICATION, SUBJECT TO CHANGE WITHOUT NOTICE

Customization Options

WT-Series fixtures are semi custom and made to order. If you need an additional option or feature- please contact Aion LED to discuss











Profile

Deep

Lens

Frosted Clear Finish

Anodized Silver Anodized Dark

Bronze

Custom Color Additional Lead Time

Length

Pre-assembled: ≤ 8 ft. (96 in)

Max Length is 8 ft.

Attempted Field

Modifications Void

Warranty.

Mounting

Standard Mounting Clips HD Adhesive backing Pivot Mounting Clip Wiring

24" Leads 48" Leads Custom length leads M/F Disconnect

Plugs

Color: White/ Black

Includes: WT Series housing, lens, end caps, end cap screws, wire grommets, mounting clips, seals & gaskets Tested as suitable for use within clothing closet spaces by ETL/Intertek

Must be installed in accordance with NEC 410.16 for use in clothing closet spaces









PRELIMINARY SPECIFICATION, SUBJECT TO CHANGE WITHOUT NOTICE

WFT TRACK

High Efficacy Exterior Rated Linear Fixture System

















WT402

WT801

WT802

Actual Size

Custom Lengths

Pre-assembled: ≤ 8 ft. (96 in) Max Length is 8 ft. (96 in)*

Made in the USA

Fabricated with high quality American aluminum and premium UV stable optics

IP66

Wet Location, Sealed with gaskets Not meant to be submerged, adequate drainage required

Select desired profile, finish, lens & light engine

Determine required lengths

Attempted Field Modifications Void Warranty.

See separate installation instructions

*IP66 rating includes high pressure spray, but fixture is not meant to ever become submerged under any circumstances. Adequate drainage provisions must be installed in every installation. Aion LED will not be held responsible for product failure from liquid ingress due to installation error. Bent sections may not be water tight. If a fixture is damaged in transit, please bring it to the attention of the distributor immediately for replacement.

Tested as suitable for use within clothing closet spaces by ETL/ Intertek

Must be installed in accordance with NEC 410.16 for use in clothing closet spaces





PRELIMINARY SPECIFICATION, SUBJECT TO CHANGE WITHOUT NOTICE